DEVELOPING A WATER MANAGEMENT PLAN TO REDUCE LEGIONELLA GROWTH AND SPREAD IN BUILDINGS

MICHIGAN DEPARTMENT OF HEALTH AND HUMAN SERVICES

MIKE WESENBERG, Environmental Health Specialist

BRYCE SPIKER, MPH Legionellosis Epidemiologist

EPIDEMIOLOGY AND LABORATORY CAPACITY (ELC) GRANT

- IDENTIFY AND ASSESS HIGH RISK BUILDINGS TO BETTER UNDERSTAND HOW WMP ARE BEING IMPLEMENTED.
- INCREASE AWARENESS OF THE CDC'S WATER MANAGEMENT PROGRAM TOOLKIT
- PROVIDE LEGIONELLA TRAINING



CMS MEMORANDUM

DEPARTMENT OF HEALTH & HUMAN SERVICES Centers for Medicare & Medicaid Services 7500 Security Boulevard, Mail Stop C2-21-16 Baltimore, Maryland 21244-1850



Center for Clinical Standards and Quality/Survey & Certification Group

Ref: S&C 17-30-Hospitals/C4Hs/NHs REVISED 06.09.2017

DATE: June 02, 2017

TO: State Survey Agency Directors

FROM: Director

Survey and Certification Group

SUBJECT: Requirement to Reduce Legionella Risk in Healthcare Facility Water Systems to


Prevent Cases and Outbreaks of Legionnaires' Disease (LD)

Revised to Clarify Provider Types Affected

Memorandum Summary

- Legionella Infections: The bacterium Legionella can cause a serious type of pneumonia
 called LD in persons at risk. Those at risk include persons who are at least 50 years old,
 smokers, or those with underlying medical conditions such as chronic lung disease or
 immunosuppression. Outbreaks have been linked to poorly maintained water systems in
 buildings with large or complex water systems including hospitals and long-term care
 facilities. Transmission can occur via aerosols from devices such as showerheads,
 cooling towers, hot tubs, and decorative fountains.
- Facility Requirements to Prevent Legionella Infections: Facilities must develop and
 adhere to policies and procedures that inhibit microbial growth in building water
 systems that reduce the risk of growth and spread of legionella and other opportunistic
 pathogens in water.
- This policy memorandum applies to Hospitals, Critical Access Hospitals (CAHs) and Long-Term Care (LTC). However, this policy memorandum is also intended to provide general awareness for all healthcare organizations.

WATER MANAGEMENT PLAN RESOURCES





ANSI/ASHRAE Standard 188-2015


Legionellosis: Risk Management for Building Water Systems

Approved by the ASHRAE Standards Committee on May 27, 2015; by the ASHRAE Board of Directors on June 4, 2015; and by the American National Standards Institute on June 26, 2015.

This Standard is under continuous maintenance by a Standing Standard Project Committee (SSPC) for which the Standards Committee has established a documented program for regular publication of addends or revisions, including procedures for continuous and continuous continuous

2015 ASHRAE ISSN 1041-23







Identifying Buildings at Increased Risk

Survey your building (or property) to determine if you need a water management program to reduce the risk of *Legionella* growth and spread.

If you answer YES to any of questions 1 through 4, you should have a water management program for *that building's* hot and cold water distribution system.

program for that bunding o not and oold water distribution by storm		
HEALTHCARE FACILITIES		
		 Is your building a healthcare facility where patients stay overnight or does your building house or treat people who have chronic and acute medical problems or weakened immune systems?
YES	NO	. Does your building primarily house people older than 65 years (like a retirement home or assisted-living facility)?
YES	NO	. Does your building have multiple housing units and a centralized hot water system (like a hotel or high-rise apartment complex)?
YES	NO	. Does your building have more than 10 stories (including basement levels)?
Devices in buildings that can spread contaminated water droplets should have a water management plan even if the building itself does not. I you answer NO to all of the questions 1 through 4 but YES to any of questions 5 through 8, you should have a water management program for <i>that device</i> .		
YES	NO	. Does you building have a cooling tower?
YES	NO	. Does you building have a hot tub(also known as a spa) that is not drained between each use?
YES	NO	. Does your building have a decorative fountain?
YES	NO	. Does you building have centrally-installed mister, atomizer, air washer, or humidifier?
If you answer NO to questions 1 through 8, you should still maintain water systems according to manufacturer recommendations.		



INTRODUCTION TO LEGIONELLA


- Legionella is found naturally in freshwater environments
- Can become a health problem in building water systems when water is aerosolized
- What devices can spread Legionella?
 - Hot tubs
 - Cooling towers
 - Decorative fountains
 - Showers
 - Centrally-installed misters, atomizers, air washers, and humidifiers
 - Medical devices (CPAP, hydrotherapy equipment, bronchoscopes)






INTRODUCTION TO LEGIONELLOSIS

- Legionnaires' Disease, a severe sometimes fatal pneumonia, can occur in persons who inhale aerosolized droplets of water contaminated with Legionella bacteria
- From 2000-2014 in the United States:
 - Reported cases increased 286%
 - Long term care facilities 19% of outbreaks
 - Hospitals 15% of outbreaks
- Approximately 9% of legionellosis cases are fatal









INTRODUCTION TO LEGIONELLOSIS

People at increased risk for legionellosis:

- Being 50 years or older
- Being a current or former smoker
- Having a chronic lung disease (like COPD or emphysema)
- People with weak immune systems
- Taking medication that weakens an individuals immune system
- People with cancer
- People with underlying illnesses such as diabetes, kidney failure, or liver failure

FACTORS LEADING TO LEGIONELLA GROWTH


INTERNAL FACTORS

- Biofilm
 - Protects Legionella from heat and disinfectant
- Scale and Sediment
 - > Uses up disinfectant
- Water temperature fluctuations
 - ➤ Legionella grows best at 77°F-108°F
- pH
- Water Pressure Changes
- Inadequate disinfectant
- Water stagnation
 - Encourages biofilm growth, reduces temperature, and levels of disinfectant

EXTERNAL FACTORS

- Construction
 - > Vibration can dislodge biofilm
- Water Main breaks
 - Changes in water pressure can dislodge biofilm and increase scale and sediment
- Changes in municipal water quality

ELEMENTS OF A WATER MANAGEMENT PROGRAM



Program Review

Programs should be reviewed yearly and when the following events occur:

- Data review shows control measures are persistently outside of control limits
- A major maintenance or water service changes occurs
- One or more cases of disease are thought to be associated with your system
- Changes occur in laws, regulations, standards, or guidelines

ESTABLISH A WATER MANAGEMENT TEAM



Possible Water Management Team Members

- Building owner
- Building manager
- Maintenance or engineering employees
- Equipment or chemical suppliers
- Certified industrial hygienist
- Microbiologists
- Environmental health specialists
- Contractors/consultants

Healthcare Facilities

The team should also include:

- Someone who understands accreditation standards and licensing requirements
- · Someone with expertise in infection prevention
- · A clinician with expertise in infectious diseases
- · Risk and quality management staff

BUILDING WATER SYSTEM DESCRIPTION

Include:

- Municipal water supply connections
- How the cold water is distributed
- How cold water is heated, to what temp.
- Water heater locations, what do they serve
- How the hot water is distributed
- Location of cooling towers, pools, hot tubs, water heaters, and boilers
- Where is waste water discarded


Healthcare Facilities

Be sure to include descriptions of water sources relevant to:


- Patient care areas
- Clinical support areas
- Components and devices that can expose patients to contaminated water

You should also develop an ongoing dialogue with your drinking water provider so that you are aware of changes that may affect your building's water supply.

BUILDING WATER SYSTEM FLOW DIAGRAM



IDENTIFY AREAS WHERE LEGIONELLA COULD GROW AND SPREAD



Healthcare Facilities


Think about:

- Areas where medical procedure may exposure patients to water droplets, such as hydrotherapy
- Areas where patients are more vulnerable to infection, such as bone marrow transplant units, oncology floors, or intensive care units

The ice machine is included to illustrate that patients with problems swallowing may be at increased risk *Legionella* spread by aspiration"




CONTROL MEASURES & CORRECTIVE ACTIONS



4

LOCATING & MONITORING YOUR CONTROL MEASURES



INTERVENTION WHEN CONTROL LIMITS NOT MET

Corrective action example:

Biofilm growth in the fountain

- Shutdown fountain
- Drain fountain
- Scrub clean with manufacture recommended detergent
- Follow program startup procedure
- Document and communicate observations/corrective actions





IS THE PROGRAM RUNNING AS DESIGNED? IS IT EFFECTIVE?

VERIFICATION

Are we doing what we said we would?

- Observing when we said we would
- Testing intervals being met
- Documentation
- Communications as decided upon

VALIDATION

Is our program actually working?

- Is it controlling hazardous conditions?
- Environmental testing can validate your program
- HAP active surveillance for Legionnaire's disease in healthcare facilities



DOCUMENT & COMMUNICATE

DOCUMENT

- Building description
- Program team
- Water system description
- Control measures
- Confirmatory procedures

COMMUNICATE

Examples:


- Notifying building residents of plan
- Inform employees on a regular basis
- Continue to train individuals with program responsibilities



COMMON QUESTIONS

- DOES THE STATE (MDHHS) DO ENVIRONMENTAL TESTING?
 - YES DURING PUBLIC HEALTH INVESTIGATION
 - NO ROUTINE MONITORING OR PRIVATE TESTING
- DO ALL BUILDINGS WITH A WMP NEED TO TAKE ENVIRONMENTAL SAMPLES?
 - NO COMPLETE ENVIRONMENTAL ASSESSMENT TO SEE IF APPROPRIATE
- WHAT LABORATORIES DO ENVIRONMENTAL SAMPLING/TESTING?
 - ELITE CERTIFIED LABORATORIES
 - HTTPS://WWWN.CDC.GOV/ELITE/PUBLIC/MEMBERLIST.ASPX

WATER MANAGEMENT PLAN RESOURCES





ANSI/ASHRAE Standard 188-2015

Legionellosis: Risk Management for Building Water Systems


Approved by the ASHRAE Standards Committee on May 27, 2015; by the ASHRAE Board of Directors on June 4, 2015; and by the American National Standards Institute on June 26, 2015.

This Standard's under continuous maintenance by a Standing Standard Project Committee (SPC) for which the Standards Committee has established a documentee forgram for regular publication of addinend or revisions, including procedures for timely, documented, consensus action on requests for change to any part of the Standard. The change submittal form, instructions, and deadlines may be obtained in electronic form from the StaPAE evebate (wowsarbars ong) or in paper form from the Senior Manager of Standards. The latest edition of an ASHRAE Standard may be purchased from the ASHRAE volume (wow arbars on or form ASHRAE Cattorner-Service, 1971 Taillie Crick, NE, Athans, GA 2012/2-105.

E-mail: ordern@ushrae.org, Fax. (78-53-9-119 Talephone: 404-614-8400) (worldwide), or toll free I-800-527-4723 (for ordern in U.S. and Canadal, For reservine remission, so to www.ashrae.org/centermissions.

2015 ASHRAE ISSN 1041-23







REFERENCES

- CDC TOOLKIT
- ASHRAE 188-2015
- ASHRAE 12-2000

ADDITIONAL RESOURCES

ABOUT THE DISEASE: LEGIONELLOSIS

QUESTIONS?